



Partizan ADF-14S network video recorder from the Cloud series supports up to 4 cameras with multiple AHD recording modes including 4K-N at 17fps and 5.0Mp at 25fps, as well as hybrid AHD plus IP configurations. The unit features H.264 and H.265 video compression with G711A audio codec and two-way audio capability. Equipped with smart analytics for human and vehicle detection, the recorder provides cloud functionality including remote access, cloud recording, and push notifications. The desktop form factor unit with metal housing and plastic front panel measures 255×225×45mm and operates from 12V DC power with consumption up to 3000mW in temperature range of -40 to 60°C.

Product details	
Model	ADF-14S
Version	UltraHD v6.1
SKU	7322
Series	Cloud series
Encoder	
Maximum cameras	4 pcs
Recording modes (AHD)	4xAHD 4K-N@17 fps, 4xAHD 5.0Mp@25 fps, 4xAHD-H@25 fps
Recording modes (AHD + IP)	4xAHD 4K-N@17 fps + 4x5.0MpMP@25 fps
Recording modes (IP)	16x5MP@7 fps
Video codec	H.264, H.265
Audio codec	G711A
Two-way audio	yes
Graphical user interface	
Display resolution	3840x2160, 2560x1440, 1920x1080, 1440x900, 1280x1024, 1280x720, 1024x768
Video splitter modes	1, 4, 9, 16
Languages	English, Arabic, Czech, French, German, Hebrew, Hungarian, Italian, Polish, Romanian, Russian, Spanish, Ukranian

Storage	
Internal HDD	1 x 8 TB
HDD storage (important note)	For reliable 24/7 operation, it is strongly recommended to use HDDs specifically designed for video surveillance systems. Hard disk drive is not included in the package.
Network	
Network interfaces	RJ-45 (10/100Base-T)
Network functions	PPPoE, NTP, Email, IP FILTER, DDNS, FTP, AlarmServer, UPnP, RTP/RTSP
Default IP address	DHCP
HTTP(s) port	80
Control port	34567
RTSP port	554
RTSP URL	rtsp://IP:PORT/user=LOGIN&password=PASSWORD&channel=1&stream=0.sdp
Default credentials	
Default login	admin
Default password	admin
Software	
Smart analytics	Human detection, Vechicle detection
Smart analytics (important note)	Smart alarms can only be used with Cloud-series IP cameras
Cloud abilities	Remote access, Cloud recording, PUSH notifications
Desktop apps	Partizan, Partizan Setup Tool
Mobile app	Partizan
Web browsers	Google Chrome, Mozilla Firefox, Edge
Web browser usage (important note)	Web browser access requires Partizan ActiveX installation for device setup and live view. Available at www.apps.partizan.global
External interfaces	
Video input	4 x BNC
Video output	VGA, HDMI

Audio inputs	1
Audio outputs	1
USB ports	2 x USB 2.0
Mechanical specifications	
Form factor	Desktop
Front panel material	Plastic
Housing material	Metal
Dimensions	255 x 225 x 45 mm
Weight	600 g
Power	
DC power source	12 V
DC consumption	3000 mA
DC power supply	Included
Operating conditions	
Humidity range	20-95% RH (non-condensing)
Operating temperature	-40 - 60 °C
Storage temperature	-40 - 60 °C
Common	
Package contents	Optical mouse, Power adapter
Warranty	3 years